

Project:	
Item:	
Quantity:	

Grill Range Series

Model ☐ GTGL26 GTGL27



Standard Features:

- Construction in AISI 304 stainless steel on front, side and adjustable feet
- Stainless steel tubular burners controlled by individual hi-lo valves
- Flame failure protection for all burners
- Electric spark ignition on all pilots
- Ceramic tubes heat up quickly and evenly
- Cast iron broilers grates with back and sided splashes
- Stainless steel drip tray positioned under open burners
- Unit comes with external stainless steel GN 1/1 35mm D grease collector
- Suitable for Towngas, LPG and natural gas

NOTE: Please specify gas type when ordering.





Stainless Steel Accessories



☐ SF: stainless steel front working rail 124 x 200 mm (H)

☐ SF-600 ☐ SF-800 ☐ SF-1200

☐ Custom made _____ mm (W)



☐ C8: stainless steel base cabinet 800 x 580 x 620 mm (H)

C6: stainless steel base cabinet 600 x 580 x 620 mm (H)



☐ S8: stainless steel stand w/ bottom shelf 800 x 530 x 620 mm (H)

☐ S6: stainless steel stand w/ bottom shelf 600 x 530 x 620 mm (H)











Grill Range Series

Specifications	GTGL27	GTGL26
Туре	Countertop	Countertop
Burner Rate (kW/BTU)	2 x 7 (2 x 24,500)	2 x 6 (2 x 21,000)
Gas Inlet Size	Ø20mm (3/4") N.P.T.	Ø20mm (3/4") N.P.T.
Net Weight (kg)	79	58
Dimensions (mm)	800 W 750 D 280 H	600 W 750 D 280 H
	850mm Multiple Mu	600mm 600mm Mu015 Mu015 Mu015 Mu017 N.P.T. gas inlet
	720mm 100mm	520mm \$\) 100mm
	750mm 510mm 510mm N.P.T. gas inlet	750mm 510mm 6/4") NP.T. gas inlet
		10
		KWS/GLRS/SS/202006

Kitchen Works Co. Ltd. Tel: (852) 2156-1056 Email: enquiry@kworks.com.hk Website: www.kworks.com.hk